

NON USE CERTIFICATION MONITORING REPORT **LOCAL LIMITS**

NAME: CORAL DYEING & FINISHING CORP.

MAILING ADDRESS: 555 EAST 31st ST., PATERSON, NJ 07513

FACILITY LOCATION: 555 EAST 31st ST., PATERSON, NJ 07513

CATEGORY & SUBPART N/Z PERMIT # 27400050 OUTLET #: 1CONTACT OFFICIAL: DREW RUPELL TELEPHONE #: 973-278-0272

I have been authorized to certify non-use for the following heavy metals:

Arsenic _____	Lead <u>x</u> _____	Zinc _____	SAMPLE DATE		
Cadmium <u>x</u> _____	Mercury <u>x</u> _____		MONTH	DAY	YEAR
Chromium _____	Molybdenum _____		<u>9</u>	<u>3</u>	<u>08</u>
Copper _____	Nickel <u>x</u> _____				

PARAMETER		CONCENTRATION			SAMPLE TYPE
		RESULT	THRESHOLD VALUE EXCEEDED YES OR NO	UNITS	COMP/GRAB
CADMIUM	Sample Measurement	<u><.004</u> ✓		mg/l	COMP
	Threshold Value	.005			
LEAD	Sample Measurement	<u>.0115</u> ✓		mg/l	COMP
	Threshold Value	.029			
MERCURY	Sample Measurement	<u><.0002</u> ✓		mg/l	COMP
	Threshold Value	.001			
NICKEL	Sample Measurement	<u><.01</u> ✓		mg/l	COMP
	Threshold Value	.02			
	Sample Measurement				
	Threshold Value				
	Sample Measurement				
	Threshold Value				
	Sample Measurement				
	Threshold Value				
	Sample Measurement				
	Threshold Value				

PVSC Form MR-3 10/96

- (1) I have reviewed the analytical data on the reverse side of this form and any applicable prior forms and hereby certify that we have met the non-use certification criteria for the following heavy metals:

As	<input type="checkbox"/>	Cr	<input type="checkbox"/>	Pb	<input type="checkbox"/>	Mo	<input type="checkbox"/>	Zn	<input type="checkbox"/>
Cd	<input type="checkbox"/>	Cu	<input type="checkbox"/>	Hg	<input type="checkbox"/>	Ni	<input type="checkbox"/>		

Therefore, I am required to monitor for these heavy metals only in March and September.

- (2) (a) I have reviewed the analytical data on the reverse side of this form and any applicable prior forms and hereby certify that we have not yet met the non-use certification criteria for the following heavy metals:

	*		*		*
Arsenic	<input type="checkbox"/>	<input type="checkbox"/>	Copper	<input type="checkbox"/>	<input type="checkbox"/>
Cadmium	<input type="checkbox"/>	<input type="checkbox"/>	Lead	<input type="checkbox"/>	<input type="checkbox"/>
Chromium	<input type="checkbox"/>	<input type="checkbox"/>	Mercury	<input type="checkbox"/>	<input type="checkbox"/>
			Molybdenum	<input type="checkbox"/>	<input type="checkbox"/>
			Nickel	<input type="checkbox"/>	<input type="checkbox"/>
			Zinc	<input type="checkbox"/>	<input type="checkbox"/>

- (b)* Means the number of additional monthly samples needed to reach 3 months in succession when the value is equal to or below the Threshold Value. I understand that I must automatically monitor for the heavy metals identified in (2) (a) above each month until the analytical results for three (3) months in succession are at or below the threshold value for that heavy metal. This will not affect my responsibility to monitor in March and September as required by Section B-103.

I certify under penalty of law that this document and attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

403.6(a)(2)(ii) revised by 53 FR 40610, October 17, 1988

Dina Spence
 Signature of Principal
 Executive or Authorized Agent

10/17/08
 Date

DINA SPENCE - CONTROLLER

Type Name and Title

N. J. TELEPHONE
(973) 278-0272
(973) 278-0276

N. Y. C. TELEPHONE
(212) 736-4364
FAX NUMBER
(973) 278-9490

Coral Dyeing & Finishing Corp.

555 EAST 31ST STREET
POST OFFICE BOX 2067
PATERSON, NEW JERSEY 07509

10/16/2008

PASSAIC VALLEY SEWERAGE
600 WILSON AVE.
NEWARK, NJ 07105
TEL.: 973-817-5714
FAX: 973-344-4876

Dear Bruce,

As of today I did not receive water bill for the month of September 2008.

Reading from water meter:

8/31/2008	548720
9/30/2008	591946

	43226

Total water consumption for September 2008 **43226**

Thank you.

Yours truly,
Dina Spence - Controller



QC Laboratories

Analytical Report



Regarding:

DINA SPENCE
CORAL DYEING & FINISHING CORPORATION
PO BOX 2067
PATERSON, NJ 07509

DINA SPENCE
CORAL DYEING & FINISHING CORPORATION
PO BOX 2067
PATERSON, NJ 07509

Account No: AW0150, CORAL DYEING & FINISHING CORPORATION
Project No: AW0150, CORAL DYEING & FINISHING CORPORATION

P.O. No:
PWSID No:

Inv. No: 1007770

Sample Number L2750335-1
Sample Description EFFLUENT COMPOSITE
Received Temp: 38 F Iced (Y/N): Y

Samp. Date/Time/Temp 09/03/08 10:00am NA F
Sampled by Customer Sampled

Parameter	Method	Result	RLs	Test Date, Time, Analyst
CADMIUM	EPA 200.7	ND mg/l	0.00400 mg/l	09/11/08 12:47PM B B
COPPER	EPA 200.7	0.350 mg/l	0.00300 mg/l	09/11/08 12:47PM B B
NICKEL	EPA 200.7	ND mg/l	0.0100 mg/l	09/11/08 12:47PM B B
LEAD	EPA 200.7	0.0115 mg/l	0.00500 mg/l	09/11/08 12:47PM B B
ZINC	EPA 200.7	0.201 mg/l	0.00500 mg/l	09/11/08 12:47PM B B
MERCURY	EPA 245.1	ND mg/l	0.000200 mg/l	09/15/08 09:03PM CMC
BIOCHEMICAL OXYGEN DEMAND	SM 5210B	328 mg/l	67.4 mg/l	09/04/08 03:28PM DJP
TOTAL SUSPENDED SOLIDS	SM 2540D	54.2 mg/l	2.00 mg/l	09/05/08 06:30AM GLE

- A result of "ND" indicates the concentration of the analyte tested was either not detected or below the RLs.
 - Definitions: ND=not detected; NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC=too numerous to count
 - A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
 - All analysis, except field tests are conducted in Southampton, PA unless otherwise identified.
 - The test "pH lab" is analyzed upon receipt at the laboratory, the result will not be suitable for regulatory purposes.
 - Actual times of analysis for parameters reported <24 hrs are available upon request. All testing is completed within the required holding time unless otherwise noted.
 - QC NELAP ID's: PA 09-00131, NJ PA166, FL E87954, NY 11223, CT PH-0768, DE PA-018, KY 90228, MD 206, EPA PA00018. Bioassay: PA 09-03574, NJ PA034, FL E87953, KS E10373, SC 89020001.
 - QC STATE ID's: Wind Gap, NJ PA001, PA 48-01334; E RUTHERFORD NJ02015; Vineland NJ06005; Reading PA 06-03543.
 - All samples are collected as "grab" samples unless otherwise identified.
 - MCL= is the EPA recommended "maximum contaminant level" for a parameter. PLS=customer specific permit limits.
- Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.

Thomas J. Hines
Thomas J. Hines, President

[illegible]